


# Wood-wrapped Window

## REQUIREMENT: CHECK FOR SQUARENESS

Measure to see if your window is **SQUARE**.

Measure from opposing corners and record your measurements in the spaces below.



Calculate the **DIFFERENCE** between the two measurements.  
 $A - B = C$




If the **DIFFERENCE** between the two measurements is **MORE THAN 1/4"**, please consider another Bali window treatment.

## REQUIREMENT: CHECK DEPTH OF WINDOW OPENING TOWARD THE GLASS TO THE FIRST OBSTRUCTION

The first obstruction could be a...


Window Frame



\_\_\_\_\_ ||

**OR**


Handle on Double Hung Window



\_\_\_\_\_ ||

**OR**

Crank Handle on Casement Window




\_\_\_\_\_ ||

Enter the **SMALLEST** measurement of any of these conditions here and on page 10.

\_\_\_\_\_ ||

## IS YOUR WINDOW A TILT-IN OR A NON TILT-IN? (CHOOSE ONE)

Tilt-in Window



FOR Tilt-in Window


Less than 3/2" depth? If so, please consider another Bali window treatment.



3/2" depth or greater? Please continue to Step 1.

**OR**

Non Tilt-in Window



FOR Non Tilt-in Window

Less than 1/4" depth? If so, please consider another Bali window treatment.




1/4" depth or greater? Please continue to Step 1.

# Wood-wrapped Window

1

## MEASURE WINDOW WIDTH

Measure in positions A,B,C and enter the smallest of the three widths.



_____	
_____	
_____	


Enter the SMALLEST measurement of the three widths here and on page 10.

_____	
-------	--

2

## MEASURE WINDOW HEIGHT

Measure in positions D,E,F and enter the smallest of the three heights. If there's a sill, measure from top of sill.







_____	
_____	
_____	




Enter the SMALLEST measurement of the three heights here and on page 10.


_____	
-------	--

Go to page 8 to select options.

# Choose Your Options

ORDER WIDTHS							
		Geneva and Naples		Monaco		Tuscany	
Panel Configuration	Window Type	Min	Max	Min	Max	Min	Max
Single Panel Only Left or Right 	Drywall	6"	26"	7"	26"	8"	26"
	Wood Wrapped	10 <sup>1</sup> / <sub>4</sub> "	30 <sup>3</sup> / <sub>4</sub> "	11 <sup>1</sup> / <sub>4</sub> "	30 <sup>3</sup> / <sub>4</sub> "	12 <sup>1</sup> / <sub>4</sub> "	30 <sup>3</sup> / <sub>4</sub> "
Double Panels Left and Right 	Drywall	16 <sup>1</sup> / <sub>4</sub> "	56 <sup>1</sup> / <sub>8</sub> "	18 <sup>1</sup> / <sub>4</sub> "	56 <sup>1</sup> / <sub>8</sub> "	20 <sup>1</sup> / <sub>4</sub> "	56 <sup>1</sup> / <sub>8</sub> "
	Wood Wrapped	21 <sup>1</sup> / <sub>2</sub> "	60 <sup>3</sup> / <sub>8</sub> "	23 <sup>1</sup> / <sub>2</sub> "	60 <sup>3</sup> / <sub>8</sub> "	25 <sup>1</sup> / <sub>2</sub> "	60 <sup>3</sup> / <sub>8</sub> "
Double Panel Only Bi-fold Left or Right 	Drywall	16 <sup>1</sup> / <sub>4</sub> "	44 <sup>1</sup> / <sub>8</sub> "	18 <sup>1</sup> / <sub>4</sub> "	44 <sup>1</sup> / <sub>8</sub> "	20 <sup>1</sup> / <sub>4</sub> "	44 <sup>1</sup> / <sub>8</sub> "
	Wood Wrapped	21 <sup>1</sup> / <sub>2</sub> "	48 <sup>3</sup> / <sub>8</sub> "	23 <sup>1</sup> / <sub>2</sub> "	48 <sup>3</sup> / <sub>8</sub> "	25 <sup>1</sup> / <sub>2</sub> "	48 <sup>3</sup> / <sub>8</sub> "
Double Panels Bi-fold Left and Right 	Drywall	36 <sup>5</sup> / <sub>8</sub> "	92 <sup>1</sup> / <sub>2</sub> "	40 <sup>5</sup> / <sub>8</sub> "	92 <sup>1</sup> / <sub>2</sub> "	44 <sup>5</sup> / <sub>8</sub> "	92 <sup>1</sup> / <sub>2</sub> "
	Wood Wrapped	40 <sup>7</sup> / <sub>8</sub> "	96 <sup>3</sup> / <sub>4</sub> "	44 <sup>7</sup> / <sub>8</sub> "	96 <sup>3</sup> / <sub>4</sub> "	48 <sup>7</sup> / <sub>8</sub> "	96 <sup>3</sup> / <sub>4</sub> "

ORDER HEIGHTS												
Geneva and Naples				Monaco				Tuscany				
												
Window Trim	no sill		with sill		no sill		with sill		no sill		with sill	
	min	max	min	max	min	max	min	max	min	max	min	max
Drywall*	11"	80"	13 <sup>1</sup> / <sub>8</sub> "	82 <sup>1</sup> / <sub>8</sub> "	14"	80"	16 <sup>1</sup> / <sub>8</sub> "	82 <sup>1</sup> / <sub>8</sub> "	17"	92"	19 <sup>1</sup> / <sub>8</sub> "	94"
Wood Wrapped	15 <sup>1</sup> / <sub>4</sub> "	84 <sup>1</sup> / <sub>4</sub> "	15 <sup>1</sup> / <sub>4</sub> "	84 <sup>1</sup> / <sub>4</sub> "	18 <sup>1</sup> / <sub>4</sub> "	84 <sup>1</sup> / <sub>4</sub> "	18 <sup>1</sup> / <sub>4</sub> "	84 <sup>1</sup> / <sub>4</sub> "	21 <sup>1</sup> / <sub>4</sub> "	96 <sup>1</sup> / <sub>4</sub> "	21 <sup>1</sup> / <sub>4</sub> "	96 <sup>1</sup> / <sub>4</sub> "
ORDER HEIGHT WITHOUT A DIVIDER RAIL												
Drywall*	11"	55 <sup>15</sup> / <sub>16</sub> "	13 <sup>1</sup> / <sub>8</sub> "	58 <sup>1</sup> / <sub>16</sub> "	14"	67 <sup>15</sup> / <sub>16</sub> "	16 <sup>1</sup> / <sub>8</sub> "	70 <sup>1</sup> / <sub>16</sub> "	17"	67 <sup>15</sup> / <sub>16</sub> "	19 <sup>1</sup> / <sub>8</sub> "	70 <sup>1</sup> / <sub>16</sub> "
Wood Wrapped	15 <sup>1</sup> / <sub>4</sub> "	60 <sup>3</sup> / <sub>16</sub> "	15 <sup>1</sup> / <sub>4</sub> "	60 <sup>3</sup> / <sub>16</sub> "	18 <sup>1</sup> / <sub>4</sub> "	72 <sup>3</sup> / <sub>16</sub> "	18 <sup>1</sup> / <sub>4</sub> "	72 <sup>3</sup> / <sub>16</sub> "	21 <sup>1</sup> / <sub>4</sub> "	72 <sup>3</sup> / <sub>16</sub> "	21 <sup>1</sup> / <sub>4</sub> "	72 <sup>3</sup> / <sub>16</sub> "

SELECT PANEL EDGE DESIGN	
Enter panel edge design here. 	<input style="width: 150px; height: 40px;" type="text"/>

\* For drywall-wrapped windows, there will be a 2" overlap on all sides or three sides if you have a window sill.

# Choose More Options

## SELECT LOUVER SIZE

Two different louver sizes are available to let you choose the look that's right for you.

### 2½" Louver

A perfect size without overwhelming other design elements in your room.



### 3½" Louver

Provides design versatility that can accommodate any décor and offers great view to the outside when open.



Enter louver size below.

## SELECT SHUTTER COLOR (SEE IN-STORE SELECTOR FOR ACCURATE COLOR REPRESENTATIONS)


See [www.baliblinds.com/shutters](http://www.baliblinds.com/shutters) or Bali EuroVue Selector for colors.

Enter color number below.

## DECIDE WHETHER YOU WANT OR NEED A DIVIDER RAIL

Divider rails are used to add strength to tall shutters. Shutters taller than the maximum height listed under the panel edge designs on page 8 will automatically include a centered divider rail.

Divider rails can also be added to shorter shutters as a decorative element or to create a top open/bottom closed effect that maintains privacy while letting in light. In this case, the divider rail can be centered or placed anywhere up to four louvers from the top or bottom of the shutter. To order a divider rail that is not centered, measure from the bottom of your window opening to the point where you want the center of the divider rail located.




Enter "yes" or "no."

Divider Rail Placement:  
Enter "centered" or "(inches) from bottom."

## DETERMINE TILT TYPE


### Standard Tilt

Standard tilt features a tilt bar on the front of the panel.



### Hidden Tilt

Stainless steel tilt bar on back of panel (on hinge side) requires additional 1/8" clearance.



Enter tilt type below.

# Order Information Worksheet

Please use the notes from prior pages to complete. Bring this worksheet to the store to place your order.

**NOTE: USE THE BELOW SECTION FOR THE MEASUREMENTS OF ONE WINDOW ONLY. (WINDOW 1)**

Window Type		Window Tilt	Depth (inches)	Width (inches)	Height (inches)	Color	
<input type="checkbox"/> Drywall-wrapped window without sill <input type="checkbox"/> Drywall-wrapped window with sill <input type="checkbox"/> Wood-wrapped window without sill <input type="checkbox"/> Wood-wrapped window with sill		<input type="checkbox"/> Tilt-in Window <input type="checkbox"/> Non Tilt-in Window				<input type="checkbox"/> Snow White (1922) <input type="checkbox"/> Silk White (1603) <input type="checkbox"/> Dove White (1683) <input type="checkbox"/> Cream White (1026)	
Louver Size	Panel Edge Design	Panel Configuration			Divider Rail	Tilt Type	Room (for shutter placement)
<input type="checkbox"/> 2½" <input type="checkbox"/> 3½"	<input type="checkbox"/> Geneva <input type="checkbox"/> Naples <input type="checkbox"/> Monaco <input type="checkbox"/> Tuscany	<input type="checkbox"/> L <input type="checkbox"/> R	<input type="checkbox"/> LL <input type="checkbox"/> RR	<input type="checkbox"/> LR <input type="checkbox"/> LLRR	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Center <input type="checkbox"/> Height _____	<input type="checkbox"/> Standard Tilt <input type="checkbox"/> Hidden Tilt	

**NOTE: USE THE BELOW SECTION FOR THE MEASUREMENTS OF ONE WINDOW ONLY. (WINDOW 2)**

Window Type		Window Tilt	Depth (inches)	Width (inches)	Height (inches)	Color	
<input type="checkbox"/> Drywall-wrapped window without sill <input type="checkbox"/> Drywall-wrapped window with sill <input type="checkbox"/> Wood-wrapped window without sill <input type="checkbox"/> Wood-wrapped window with sill		<input type="checkbox"/> Tilt-in Window <input type="checkbox"/> Non Tilt-in Window				<input type="checkbox"/> Snow White (1922) <input type="checkbox"/> Silk White (1603) <input type="checkbox"/> Dove White (1683) <input type="checkbox"/> Cream White (1026)	
Louver Size	Panel Edge Design	Panel Configuration			Divider Rail	Tilt Type	Room (for shutter placement)
<input type="checkbox"/> 2½" <input type="checkbox"/> 3½"	<input type="checkbox"/> Geneva <input type="checkbox"/> Naples <input type="checkbox"/> Monaco <input type="checkbox"/> Tuscany	<input type="checkbox"/> L <input type="checkbox"/> R	<input type="checkbox"/> LL <input type="checkbox"/> RR	<input type="checkbox"/> LR <input type="checkbox"/> LLRR	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Center <input type="checkbox"/> Height _____	<input type="checkbox"/> Standard Tilt <input type="checkbox"/> Hidden Tilt	

**NOTE: USE THE BELOW SECTION FOR THE MEASUREMENTS OF ONE WINDOW ONLY. (WINDOW 3)**

Window Type		Window Tilt	Depth (inches)	Width (inches)	Height (inches)	Color	
<input type="checkbox"/> Drywall-wrapped window without sill <input type="checkbox"/> Drywall-wrapped window with sill <input type="checkbox"/> Wood-wrapped window without sill <input type="checkbox"/> Wood-wrapped window with sill		<input type="checkbox"/> Tilt-in Window <input type="checkbox"/> Non Tilt-in Window				<input type="checkbox"/> Snow White (1922) <input type="checkbox"/> Silk White (1603) <input type="checkbox"/> Dove White (1683) <input type="checkbox"/> Cream White (1026)	
Louver Size	Panel Edge Design	Panel Configuration			Divider Rail	Tilt Type	Room (for shutter placement)
<input type="checkbox"/> 2½" <input type="checkbox"/> 3½"	<input type="checkbox"/> Geneva <input type="checkbox"/> Naples <input type="checkbox"/> Monaco <input type="checkbox"/> Tuscany	<input type="checkbox"/> L <input type="checkbox"/> R	<input type="checkbox"/> LL <input type="checkbox"/> RR	<input type="checkbox"/> LR <input type="checkbox"/> LLRR	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Center <input type="checkbox"/> Height _____	<input type="checkbox"/> Standard Tilt <input type="checkbox"/> Hidden Tilt	

**Additional worksheets are available at [www.baliblinds.com/shutters](http://www.baliblinds.com/shutters).**

**Additional Notes**

---



---

**DELIVERY** Shutters will be delivered in approximately six weeks.

**SHIPPING DAMAGE** Report any shipping damage to the consumer hotline telephone number: **1-800-221-6352**

**CHANGES/MODIFICATIONS** Orders cannot be changed or modified after one business day from the original order date.